# Consumer Units - Moulded

## Isolator controlled surface mounting consumer units

| Old Eaton AP list number | Old Eaton AD list number | New Eaton list number | Description | Total no. of outgoing ways | Isolator rating (A) |
|---|---|---|---|---|---|
| AP1 | - | **EAD1** | 1 way moulded consumer unit 63A isolator | 1 | 63 |
| AP2<br>AP3 | - | **EAD2/3** | 2-3 way moulded consumer unit 100A isolator | 2-3 | 100 |
| AP4 | AD4 | **EAD4** | 4 way moulded consumer unit 100A isolator | 4 | 100 |
| AP6 | AD6 | **EAD6** | 6 way moulded consumer unit 100A isolator | 6 | 100 |
| AP8 | AD8 | **EAD8** | 8 way moulded consumer unit 100A isolator | 8 | 100 |
| - | AD11R | **EAD11R** | 11 way RCBO consumer unit 100A isolator | 11 | 100 |
| AP12 | AD12 | **EAD12** | 12 way moulded consumer unit 100A isolator | 12 | 100 |
| AP14 | AD16 | **EAD16** | 16 way moulded consumer unit 100A isolator | 16 | 100 |
| AP19 | AD19 | **EAD19** | 19 way moulded consumer unit 100A isolator | 19 | 100 |

## RCCB controlled surface mounting consumer units

| Old Eaton AP list number | Old Eaton AD list number | New Eaton list number | Description | Total no. of outgoing ways | RCD rating (A) | RCD sensitivity (mA) |
|---|---|---|---|---|---|---|
| AP1HE | **-** | **EAD1H63** | 1 way moulded consumer unit 63A 30mA RCD | 1 | 63 | 30 |
| AP2HE | - | **EAD2/3H63** | 2-3 way moulded consumer unit 63A 30mA RCD | 2-3 | 63 | 30 |
| | | **EAD2/3H80** | 2-3 way moulded consumer unit 80A 30mA RCD | 2-3 | 80 | 30 |
| AP4HE | AD4HE | **EAD4H63** | 4 way moulded consumer unit 63A 30mA RCD | 4 | 63 | 30 |
| | | **EAD4H80** | 4 way moulded consumer unit 80A 30mA RCD | 4 | 80 | 30 |
| AP6HE | AD6HE | **EAD6H63** | 6 way moulded consumer unit 63A 30mA RCD | 6 | 63 | 30 |
| | | **EAD6H80** | 6 way moulded consumer unit 80A 30mA RCD | 6 | 80 | 30 |
| AP8HE | AD8HE | **EAD8H63** | 8 way moulded consumer unit 63A 30mA RCD | 8 | 63 | 30 |
| | | **EAD8H80** | 8 way moulded consumer unit 80A 30mA RCD | 8 | 80 | 30 |
| | | **EAD8H100** | 8 way moulded consumer unit 100A 30mA RCD | 8 | 100 | 30 |
| AP12HE | AD12HE | **EAD12H80** | 12 way moulded consumer unit 80A 30mA RCD | 12 | 80 | 30 |
| | | **EAD12H100** | 12 way moulded consumer unit 100A 30mA RCD | 12 | 100 | 30 |
| AP14HE | AD16HE | **EAD16H80** | 16 way moulded consumer unit 80A 30mA RCD | 16 | 80 | 30 |
| | | **EAD16H100** | 16 way moulded consumer unit 100A 30mA RCD | 16 | 100 | 30 |
| AP19HE | AD19HE | **EAD19H80** | 19 way moulded consumer unit 80A 30mA RCD | 19 | 80 | 30 |
| | | **EAD19H100** | 19 way moulded consumer unit 100A 30mA RCD | 19 | 100 | 30 |

## RCCB controlled surface mounting consumer units

| Old Eaton AP list number | Old Eaton AD list number | New Eaton list number | Description | Total no. of outgoing ways | RCD rating (A) | RCD sensitivity (mA) |
|---|---|---|---|---|---|---|
| AP2ME | - | **EAD2/3M63** | 2-3 way moulded consumer unit 63A 100mA RCD | 2-3 | 63 | 100 |
| | | **EAD2/3M80** | 2-3 way moulded consumer unit 80A 100mA RCD | 2-3 | 80 | 100 |
| AP4ME | AD4ME | **EAD4M63** | 4 way moulded consumer unit 63A 100mA RCD | 4 | 63 | 100 |
| | | **EAD4M80** | 4 way moulded consumer unit 80A 100mA RCD | 4 | 80 | 100 |
| AP6ME | AD6ME | **EAD6M63** | 6 way moulded consumer unit 63A 100mA RCD | 6 | 63 | 100 |
| | | **EAD6M80** | 6 way moulded consumer unit 80A 100mA RCD | 6 | 80 | 100 |
| AP8ME | AD8ME | **EAD8M63** | 8 way moulded consumer unit 63A 100mA RCD | 8 | 63 | 100 |
| | | **EAD8M80** | 8 way moulded consumer unit 80A 100mA RCD | 8 | 80 | 100 |
| | | **EAD8M100** | 8 way moulded consumer unit 100A 100mA RCD | 8 | 100 | 100 |
| AP12ME | AD12ME | **EAD12M80** | 12 way moulded consumer unit 80A 100mA RCD | 12 | 80 | 100 |
| | | **EAD12M100** | 12 way moulded consumer unit 100A 100mA RCD | 12 | 100 | 100 |
| AP14ME | AD16ME | **EAD16M80** | 16 way moulded consumer unit 80A 100mA RCD | 16 | 80 | 100 |
| | | **EAD16M100** | 16 way moulded consumer unit 100A 100mA RCD | 16 | 100 | 100 |
| AP19ME | AD19ME | **EAD19M80** | 19 way moulded consumer unit 80A 100mA RCD | 19 | 80 | 100 |
| | | **EAD19M100** | 19 way moulded consumer unit 100A 100mA RCD | 19 | 100 | 100 |

## Split load surface mounting consumer units - variable configuration

| Old Eaton AP list number | Old Eaton AD list number | New Eaton list number | Description | Total no. of outgoing ways | RCD ways available | RCD rating (A) | RCD sensitivity (mA) |
|---|---|---|---|---|---|---|---|
| AP37HED<br>AP73HED<br>AP46HED<br>AP64HED<br>AP55HED | AD10HED | **EAD10H80D** | 10 way variable split load moulded consumer unit 1-9 ways | 10 | 1-9 | 80 | 30 |
| AP39HED<br>AP93HED<br>AP57HED<br>AP66HED<br>AP75HED<br>AP84HED<br>AP48HED | AD14HED | **EAD14H80D** | 14 way variable split load moulded consumer unit 1-10 ways | 14 | 1-10 | 80 | 30 |
| AP908HED | AD17HED | **EAD17H80D** | 17 way variable split load moulded consumer unit 1-10 ways | 17 | 1-10 | 80 | 30 |

## Dual RCD isolator controlled 17th Edition surface mounting consumer units

| Old Eaton AP list number | Old Eaton AD list number | New Eaton list number | Description | Total no. of outgoing ways | RCD ways available | RCD rating (A) | RCD sensitivity (mA) |
|---|---|---|---|---|---|---|---|
| AP53HEHED | AD8HEHED | **EAD8H80H80D** | 8 way variable split dual RCD moulded consumer unit 1 x 80A 1 x 80A | 8 | 8 variable | 2 x 80 | 30 |
| | | **EAD8H80H63D** | 8 way variable split dual RCD moulded consumer unit 1 x 80A 1 x 63A | 8 | 8 variable | 1x80 + 1x63 | 30 |
| - | AD12HEHED | **EAD12H80H80D** | 12 way variable split dual RCD moulded consumer unit 1 x 80A 1 x 80A | 12 | 12 variable | 2 x 80 | 30 |
| | | **EAD12H80H63D** | 12 way variable split dual RCD moulded consumer unit 1 x 80A 1 x 63A | 12 | 12 variable | 1x80 + 1x63 | 30 |
| AP906HEHED | AD15HEHED | **EAD15H80H80D** | 15 way variable split dual RCD moulded consumer unit 1 x 80A 1 x 80A | 15 | 15 variable | 2 x 80 | 30 |
| | | **EAD15H80H63D** | 15 way variable split dual RCD moulded consumer unit 1 x 80A 1 x 63A | 15 | 15 variable | 1x80 + 1x63 | 30 |

## High integrity 17th Edition compliant consumer units

| Old Eaton AP list number | Old Eaton AD list number | New Eaton list number | Description | Total no. of outgoing ways | RCD ways available | RCD rating (A) | RCD sensitivity (mA) |
|---|---|---|---|---|---|---|---|
| - | AD6HEHE2D | **EAD6H80H802D** | 6+2 way variable split dual RCD moulded consumer unit 1 x 80A 1 x 80A | 8 | 6 variable | 2 x 80 | 30 |
| | | **EAD6H80H632D** | 6+2 way variable split dual RCD moulded consumer unit 1 x 80A 1 x 63A | 8 | 6 variable | 1x80 + 1x63 | 30 |
| - | AD12HEHE3D | **EAD12H80H803D** | 12+3 way variable split dual RCD moulded consumer unit 1 x 80A 1 x 80A | 15 | 12 variable | 2 x 80 | 30 |
| | | **EAD12H80H633D** | 12+3 way variable split dual RCD moulded consumer unit 1 x 80A 1 x 63A | 15 | 12 variable | 1x80 + 1x63 | 30 |

## Consumer Units - Metalclad

**1. For Flush Mounted Units - Add F to the end of the reference number e.g. EAS2F**

**2. For Lockable Units - Add L to the end of the reference number e.g. EAS38L**

**3. For Flush Mounted Lockable Units - Add FL to the end of the reference number e.g. EAS18FL**

### Isolator controlled surface mounting consumer units

| Old Eaton AS list number | New Eaton list number | Description | Total no. of outgoing ways | Isolator (A) | Pole |
|---|---|---|---|---|---|
| AS2 | **EAS2** | 2 way metal consumer unit 63A isolator | 2 | 63 | DP |
| AS4 | **EAS6** | 6 way metal consumer unit 100A isolator | 6 | 100 | DP |
| AS6 | | | | | |
| AS8 | **EAS10** | 10 way metal consumer unit 100A isolator | 10 | 100 | DP |
| AS12 | **EAS12** | 12 way metal consumer unit 100A isolator | 12 | 100 | DP |
| AS14 | **EAS18** | 18 way metal consumer unit | 18 | 100 | DP |
| AS19 | | | | | |
| AS24 | **EAS26** | 26 way metal consumer unit 100A isolator 2 rail | 26 | 100A | DP |
| AS27 | | | | | |
| AS33 | **EAS38** | 38 way metal consumer unit 100A isolator 2 rail | 38 | 100A | DP |

### RCD controlled metalclad surface mounting consumer units

| Old Eaton AS list number | New Eaton list number | Description | Total no. of outgoing ways | RCD rating (A) | RCD sensitivity (mA) | Pole |
|---|---|---|---|---|---|---|
| AS2HE | **EAS2H40** | 2 way metal consumer unit 40A 30mA RCD | 2 | 40A | 30 | DP |
| | **EAS2H63** | 2 way metal consumer unit 63A 30mA RCD | 2 | 63A | 30 | DP |
| AS4HE | **EAS6H63** | 6 way metal consumer unit 63A 30mA RCD | 6 | 63A | 30 | DP |
| AS6HE | **EAS6H80** | 6 way metal consumer unit 80A 30mA RCD | 6 | 80A | 30 | DP |
| | **EAS6H100** | 6 way metal consumer unit 100A 30mA RCD | 6 | 100A | 30 | DP |
| AS8HE | **EAS10H100** | 10 way metal consumer unit 100A 30mA RCD | 10 | 100A | 30 | DP |
| AS12HE | **EAS12H100** | 12 way metal consumer unit 100A 30mA RCD | 12 | 100A | 30 | DP |
| AS19HE | **EAS18H100** | 18 way metal consumer unit 100A 30mA RCD | 18 | 100A | 30 | DP |

### Split load metalclad surface mounting consumer units

| Old Eaton AS list number | New Eaton list number | Description | Total no. of outgoing ways | RCD ways available | RCD (A) | RCD sensitivity (mA) | Isolator rating (A) | Pole |
|---|---|---|---|---|---|---|---|---|
| AS44HED, AS26HED | **EAS8H63D** | 8 way split load metal consumer unit 63A 30mA RCD | 8 | 1-7 | 63 | 30 | 100 | DP |
| AS35HED, AS44HED AS53HED, AS62HED | **EAS8H80D** | 8 way split load metal consumer unit 80A 30mA RCD | 8 | 1-7 | 80 | 30 | 100 | DP |
| AS55HED, AS37HED | **EAS10H63D** | 10 way split load metal consumer unit 63A 30mA RCD | 10 | 1-9 | 63 | 30 | 100 | DP |
| AS46HED, AS55HED AS64HED, AS73HED | **EAS10H80D** | 10 way split load metal consumer unit 80A 30mA RCD | 10 | 1-9 | 80 | 30 | 100 | DP |
| AS908HED/ AS66HED | **EAS16H80D** | 16 way split load metal consumer unit 80A 30mA RCD | 16 | 1-15 | 80 | 30 | 100 | DP |

### Split load dual rail metalclad surface mounting consumer unit

| Old Eaton AS list number | New Eaton list number | Description | Total no. of outgoing ways | RCD ways available | RCD rating (A) | RCD sensitivity (mA) | Isolator rating (A) | Pole |
|---|---|---|---|---|---|---|---|---|
| AS14014HED | **EAS24H80D** | 24 way split load metal consumer unit 100A isolator controlled 80A 30mA RCD | 24 | 16 | 80 | 30 | 100 | DP |
| | **EAS36H80D** | 36 way split load metal consumer unit 100A isolator controlled 80A 30mA RCD | 36 | 24 | 80 | 30 | 100 | DP |

### Split load dual rail dual RCD metalclad surface mounting consumer unit

| Old Eaton AS list number | New Eaton list number | Description | Total no. of outgoing ways | RCD ways available | RCD rating (A) | RCD sensitivity (mA) | Isolator rating (A) | Pole |
|---|---|---|---|---|---|---|---|---|
| New product | **EAS22H80H80D** | 22 way split load dual RCD metal consumer unit 1 x 80A, 1 x 80A | 22 | 22 | 2 x 80 | 30 | 100 | DP |
| New product | **EAS22H80H63D** | 22 way split load dual RCD metal consumer unit 1 x 80A, 1 x 63A | 22 | 22 | 1x80 + 1x63 | 30 | 100 | DP |
| New product | **EAS34H80H80D** | 34 way split load dual RCD metal consumer unit 1 x 80A, 1 x 80A | 34 | 34 | 2 x 80 | 30 | 100 | DP |
| New product | **EAS34H80H63D** | 34 way split load dual RCD metal consumer unit 1 x 80A, 1 x 63A | 34 | 34 | 1x80 + 1x63 | 30 | 100 | DP |

### Split load dual RCD metalclad surface mounting consumer units

| Old Eaton AS list number | New Eaton list number | Description | Total no. of outgoing ways | RCD ways available | RCD rating (A) | RCD sensitivity (mA) | Isolator rating (A) | Pole |
|---|---|---|---|---|---|---|---|---|
| New product | **EAS14H63H63D** | 14 way split load dual RCD metal consumer unit 1 x 63A, 1 x 63A | 14 | up to 14 | 2 x 63 | 30 | 100 | DP |
| New product | **EAS14H80H63D** | 14 way split load dual RCD metal consumer unit 1 x 80A, 1 x 63A | 14 | up to 14 | 1x80 + 1x63 | 30 | 100 | DP |
| New product | **EAS14H80H80D** | 14 way split load dual RCD metal consumer unit 1 x 80A, 1 x 80A | 14 | up to 14 | 2 x 80 | 30 | 100 | DP |

### Dual tariff metalclad surface mounting consumer units

| Old Eaton AS list number | New Eaton list number | Description | Total no. of outgoing ways | Isolator rating (A) | Isolator rating (A) | Pole |
|---|---|---|---|---|---|---|
| AS6D6D | **EAS10DD** | 10 way dual tariff metal consumer unit + 2 x 100A isolators | 10 | 100 | 100 | DP |
| AS8D08D | **EAS16DD** | 16 way dual tariff metal consumer unit + 2 x 100A isolators | 16 | 100 | 100 | DP |

# Protective Devices - Residual Current Circuit Breaker

## RCCBs - Double Pole (2 modules)

| Old Eaton list number | New Eaton list number | Description | Rating | Sensitivity mA |
|---|---|---|---|---|
| A16UE | **EAM162V** | EAM 16A 2 POLE RCCB 10mA | 16 | 10 |
| A16HE | **EAM162H** | EAM 16A 2 POLE RCCB 30mA | 16 | 30 |
| A25HE | **EAM252H** | EAM 25A 2 POLE RCCB 30mA | 25 | 30 |
| A25ME | **EAM252M** | EAM 25A 2 POLE RCCB 100mA | 25 | 100 |
| A40HE | **EAM402H** | EAM 40A 2 POLE RCCB 30mA | 40 | 30 |
| A40ME | **EAM402M** | EAM 40A 2 POLE RCCB 100mA | 40 | 100 |
| A63HE | **EAM632H** | EAM 63A 2 POLE RCCB 30mA | 63 | 30 |
| A63ME | **EAM632M** | EAM 63A 2 POLE RCCB 100mA | 63 | 100 |
| A80HE | **EAM802H** | EAM 80A 2 POLE RCCB 30mA | 80 | 30 |
| A80ME | **EAM802M** | EAM 80A 2 POLE RCCB 100mA | 80 | 100 |
| A80LE | **EAM802L** | EAM 80A 2 POLE RCCB 300mA | 80 | 300 |
| A100HE | **EAM1002H** | EAM 100A 2 POLE RCCB 30mA | 100 | 30 |
| AD100HE | | | | |
| A100ME | **EAM1002M** | EAM 100A 2 POLE RCCB 100mA | 100 | 100 |
| A100LE | **EAM1002L** | EAM 100A 2 POLE RCCB 300mA | 100 | 300 |
| AD80HER | **EAM802RH** | EAM 80A 2 POLE RCCB 30mA Reversed Pole | 80 | 30 |
| New product | **EAM802RL** | EAM 80A 2 POLE RCCB 300mA Reversed Pole | 80 | 300 |
| AD100HER | **EAM1002RH** | EAM 100A 2 POLE RCCB 30mA Reversed Pole | 100 | 30 |
| AD100MER | **EAM1002RM** | EAM 100A 2 POLE RCCB 100mA Reversed Pole | 100 | 100 |
| New product | **EAM1002RL** | EAM 100A 2 POLE RCCB 300mA Reversed Pole | 100 | 300 |

# Protective Devices - Residual Current Circuit Breaker with Overcurrent Protection

## RCBOs - Single Pole 6kA (1 module)

| Old Eaton list number | Old Eaton AD list number | New Eaton list number | Description | Rating | Trip type | Sensitivity mA |
|---|---|---|---|---|---|---|
| ALB061H30 | AD06BH30 | **EAD06BH30** | EAD 6A 6KA TYPE B SP 30mA RCBO | 6 | B | 30 |
| ALB101H30 | AD10BH30 | **EAD10BH30** | EAD 10A 6KA TYPE B SP 30mA RCBO | 10 | B | 30 |
| ALB161H30 | AD16BH30 | **EAD16BH30** | EAD 16A 6KA TYPE B SP 30mA RCBO | 16 | B | 30 |
| ALB201H30 | AD20BH30 | **EAD20BH30** | EAD 20A 6KA TYPE B SP 30mA RCBO | 20 | B | 30 |
| New product | New product | **EAD25BH30** | EAD 25A 6KA TYPE B SP 30mA RCBO | 25 | B | 30 |
| ALB321H30 | AD32BH30 | **EAD32BH30** | EAD 32A 6KA TYPE B SP 30mA RCBO | 32 | B | 30 |
| ALB401H30 | AD40BH30 | **EAD40BH30** | EAD 40A 6KA TYPE B SP 30mA RCBO | 40 | B | 30 |
| New product | AD50BH30 | **EAD45BH30** | EAD 45A 6KA TYPE B SP 30mA RCBO | 45 | B | 30 |
| ALC061H30 | New product | **EAD06CH30** | EAD 6A 6KA TYPE C SP 30mA RCBO | 6 | C | 30 |
| ALC101H30 | New product | **EAD10CH30** | EAD 10A 6KA TYPE C SP 30mA RCBO | 10 | C | 30 |
| ALC161H30 | New product | **EAD16CH30** | EAD 16A 6KA TYPE C SP 30mA RCBO | 16 | C | 30 |
| ALC201H30 | New product | **EAD20CH30** | EAD 20A 6KA TYPE C SP 30mA RCBO | 20 | C | 30 |
| New product | New product | **EAD25CH30** | EAD 25A 6KA TYPE C SP 30mA RCBO | 25 | C | 30 |
| ALC321H30 | New product | **EAD32CH30** | EAD 32A 6KA TYPE C SP 30mA RCBO | 32 | C | 30 |
| ALC401H30 | New product | **EAD40CH30** | EAD 40A 6KA TYPE C SP 30mA RCBO | 40 | C | 30 |
| New product | New product | **EAD45CH30** | EAD 45A 6KA TYPE C SP 30mA RCBO | 45 | C | 30 |

# Protective Devices - Isolators

## Isolators - Double Pole (2 modules)

| Old Eaton list number | New Eaton list number | Description | Rating (A) |
|---|---|---|---|
| ASN100R | **EMS1001NR** | EMS 100A SPN isolator reversed pole | 100 |
| ASN100 | **EMS1001N** | EMS 100A SPN isolator | 100 |
| AS100 | **EMS1001** | EMS 100A SP isolator | 100 |
| AD100 | **EMS1002** | EMS 100A DP isolator | 100 |

# Protective Devices - Miniature Circuit Breakers

## MCBs - Single Pole 6kA

| Old Eaton list number | Old Eaton AD list number | New Eaton list number | Description | Rating | Trip type | Short circuit rating (KA) | Pole configuration |
|---|---|---|---|---|---|---|---|
| New product | - | **EAD02B** | EAD 2A 6KA TYPE B SP MCB | 2 | B | 6 | SP |
| New product | - | **EAD04B** | EAD 4A 6KA TYPE B SP MCB | 4 | B | 6 | SP |
| ALB061 | AD06B | **EAD06B** | EAD 6A 6KA TYPE B SP MCB | 6 | B | 6 | SP |
| ALB101 | AD10B | **EAD10B** | EAD 10A 6KA TYPE B SP MCB | 10 | B | 6 | SP |
| New product | AD13B | **EAD13B** | EAD 13A 6KA TYPE B SP MCB | 13 | B | 6 | SP |
| ALB161 | AD16B | **EAD16B** | EAD 16A 6KA TYPE B SP MCB | 16 | B | 6 | SP |
| ALB201 | AD20B | **EAD20B** | EAD 20A 6KA TYPE B SP MCB | 20 | B | 6 | SP |
| New product | - | **EAD25B** | EAD 25A 6KA TYPE B SP MCB | 25 | B | 6 | SP |
| ALB321 | AD32B | **EAD32B** | EAD 32A 6KA TYPE B SP MCB | 32 | B | 6 | SP |
| ALB401 | AD40B | **EAD40B** | EAD 40A 6KA TYPE B SP MCB | 40 | B | 6 | SP |
| ALB321 | AD50B | **EAD50B** | EAD 50A 6KA TYPE B SP MCB | 50 | B | 6 | SP |
| ALB631 | AD63B | **EAD63B** | EAD 63A 6KA TYPE B SP MCB | 63 | B | 6 | SP |
| New product | - | **EAD02C** | EAD 2A 6KA TYPE C SP MCB | 2 | C | 6 | SP |
| New product | - | **EAD04C** | EAD 4A 6KA TYPE C SP MCB | 4 | C | 6 | SP |
| ALC061 | - | **EAD06C** | EAD 6A 6KA TYPE C SP MCB | 6 | C | 6 | SP |
| ALC101 | - | **EAD10C** | EAD 10A 6KA TYPE C SP MCB | 10 | C | 6 | SP |
| New product | - | **EAD13C** | EAD 13A 6KA TYPE C SP MCB | 13 | C | 6 | SP |
| ALC161 | - | **EAD16C** | EAD 16A 6KA TYPE C SP MCB | 16 | C | 6 | SP |
| ALC201 | - | **EAD20C** | EAD 20A 6KA TYPE C SP MCB | 20 | C | 6 | SP |
| New product | - | **EAD25C** | EAD 25A 6KA TYPE C SP MCB | 25 | C | 6 | SP |
| ALC321 | - | **EAD32C** | EAD 32A 6KA TYPE C SP MCB | 32 | C | 6 | SP |
| ALC401 | - | **EAD40C** | EAD 40A 6KA TYPE C SP MCB | 40 | C | 6 | SP |
| ALC501 | - | **EAD50C** | EAD 50A 6KA TYPE C SP MCB | 50 | C | 6 | SP |
| ALC631 | - | **EAD63C** | EAD 63A 6KA TYPE C SP MCB | 63 | C | 6 | SP |