



Eaton Corporation
Electronic Data Interchange (EDI) Standards
Delivery Forecast (DELFOR)
Version 97A

Revision date: 06/18/2004
Author: Kathy Grubar

Copyright ©2002 Eaton Corporation. All rights reserved. The content of this Web site may not be copied, replaced, distributed, published, displayed, modified or transferred in any form or by any means except with the prior written permission of Eaton Corporation ("Eaton"). Copyright infringement is a violation of federal law subject to criminal and civil penalties.

DELFOR Delivery schedule message

Message Status=2

WARNING! This version of the DELFOR is not upward compatible with versions prior to D96B. DELFOR is a message which is sent from a party who is planning the use or consumption of products to a party who has to plan for the supply of the products. The message gives the requirements regarding details for short term delivery and/or medium to long scheduling for products. The scheduling can be used to authorize manufacturing and or the provision of materials. This is based on the terms and conditions defined in a purchase order or contract.

Not Defined:

Pos	Tag	Segment Name	Status	Rep	Notes	Usage
0010	UNH	MESSAGE HEADER	M	1	N0/0010	Must use
0020	BGM	BEGINNING OF MESSAGE	M	1	N0/0020	Must use
0030	DTM	DATE/TIME/PERIOD	M	10	N0/0030	Must use
0080		Segment Group 2	C	99	N0/0080	Used
0090	NAD	NAME AND ADDRESS	M	1	N0/0090	Must use
0130		Segment Group 4	C	5	N0/0130	Used
0140	CTA	CONTACT INFORMATION	M	1	N0/0140	Must use
0150	COM	COMMUNICATION CONTACT	C	5	N0/0150	Used
0190		Segment Group 6	C	9999	N0/0190	Used
0200	GIS	GENERAL INDICATOR	M	1	N0/0200	Must use
0210		Segment Group 7	C	1	N0/0210	Used
0220	NAD	NAME AND ADDRESS	M	1	N0/0220	Must use
0370		Segment Group 12	C	9999	N0/0370	Used
0380	LIN	LINE ITEM	M	1	N0/0380	Must use
0390	PIA	ADDITIONAL PRODUCT ID	C	10	N0/0390	Used
0400	IMD	ITEM DESCRIPTION	C	10	N0/0400	Used
0450	LOC	PLACE/LOCATION IDENTIFICATION	C	999	N0/0450	Used
0480		Segment Group 13	C	10	N0/0480	Used
0490	RFF	REFERENCE	M	1	N0/0490	Must use
0500	DTM	DATE/TIME/PERIOD	C	1	N0/0500	Used
0540		Segment Group 15	C	10	N0/0540	Used
0550	QTY	QUANTITY	M	1	N0/0550	Must use
0560	DTM	DATE/TIME/PERIOD	C	2	N0/0560	Used
0570		Segment Group 16	C	10	N0/0570	Used
0580	RFF	REFERENCE	M	1	N0/0580	Must use
0600		Segment Group 17	C	999	N0/0600	Used
0610	SCC	SCHEDULING CONDITIONS	M	1	N0/0610	Must use
0620		Segment Group 18	C	999	N0/0620	Used
0630	QTY	QUANTITY	M	1	N0/0630	Must use
0640	DTM	DATE/TIME/PERIOD	C	2	N0/0640	Used
0650		Segment Group 19	C	10	N0/0650	Used
0660	RFF	REFERENCE	M	1	N0/0660	Must use
1030	UNT	MESSAGE TRAILER	M	1	N0/1030	Must use

Clarification:

- 0/0010 A service segment starting and uniquely identifying a message. The message type code for the Delivery schedule message is DELFOR. Note: Delivery schedule messages conforming to this document must contain the following data in segment UNH, composite S009: Data element 0065 DELFOR 0052 D 0054 97A 0051 UN
- 0/0020 A segment for unique identification of the Delivery schedule message by means of its name and its number and its function (original, replacement, change).
- 0/0030 The DTM segment shall be specified at least once to identify the Delivery schedule message date. This segment can be included to indicate the beginning and the end date of the schedule.
- 0/0080 A group of segments identifying parties by their names, addresses, locations, references and contacts relevant to the whole delivery schedule.
- 0/0090 A segment for identifying names and addresses and their functions relevant for the whole Delivery schedule. The principal parties for the Delivery schedule message shall be identified. The identification of the recipient of the goods must be given in the NAD segment in the detail section. It is recommended that where possible only the coded form of the party ID should be specified.
- 0/0130 A group of segments to identify person, function, or department and appropriate numbers to whom communication should be directed.
- 0/0140 A segment to identify the person, function, or department to whom communication should be directed.
- 0/0150 A segment identifying communication types and numbers for the person, function, or department identified in the CTA segment.
- 0/0190 A group of segments providing details on delivery points and products and related information using one of both scheduling methods (as described in 1.3 Principles).
- 0/0200 A segment to indicate which method is used by the relevant processing indicator code.
- 0/0210 A group of segments needed to identify a delivery point and its attached information when the delivery point method is used.

- 0/0220 A segment for identifying the consignee.
- 0/0370 A group of segments providing details of the individual line items for both methods.
- 0/0380 A segment identifying the details of the product or service to be delivered, e.g. product identification. All other segments in the detail section following the LIN segment refer to the line item.
- 0/0390 A segment providing additional product identification.
- 0/0400 A segment for describing the product or the service to be delivered. This segment should be used for products that cannot be identified by a product code or article number.
- 0/0450 A segment identifying a specific location to which products, as specified in the LIN-Segment group, should be placed after delivery. This function should only be used with the delivery point driven method.
- 0/0480 A group of segments giving references related to the line item and where necessary, their dates.
- 0/0490 A segment for identifying references to the line item, e.g. a contract and its appropriate line item, original message number, previous message number if different per line item.
- 0/0500 Date/time/period of the reference.
- 0/0540 A group of segments specifying product quantities and associated dates not related to schedules and where relevant, references.
- 0/0550 A segment to specify pertinent quantities not related to schedule(s) e.g. cumulative quantity, last quantity considered.
- 0/0560 A segment indicating the date/time/period details relating to the quantity.
- 0/0570 A group of segments giving references related to the quantity and where necessary, their date.
- 0/0580 A segment for identifying reference to the quantity, e.g. despatch advice number.
- 0/0600 A group of segments specifying the schedule information for the product identified in the LIN segment. With the delivery point driven method this segment group provides the schedule for the identified delivery point and product. With the product driven method this segment group can be used to summarise all schedules provided with the subsequent delivery point information given in segment group 22.
- 0/0610 A segment specifying the status of the schedule. Optionally a delivery pattern can be established, e.g. firm or proposed delivery pattern.
- 0/0620 A group of segments specifying product quantities and associated dates.
- 0/0630 A segment to specify scheduled quantities which may be related to schedule(s) and, or pattern established in the following DTM segment, e.g. delivery quantity for a specified date.
- 0/0640 A segment indicating date/time/period details relating to the given quantity.
- 0/0650 A group of segments for specifying references associated with the given schedule's quantity and date and where necessary the reference dates.
- 0/0660 A segment to provide reference for the given schedule's quantity and date.
- 0/1030 A service segment ending a message, giving the total number of segments in the message and the control reference number of the message.

UNH MESSAGE HEADER

Pos: 0010	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

To head, identify and specify a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
UNH010	0062	MESSAGE REFERENCE NUMBER Description: Unique message reference assigned by the sender.	M	AN	1/14	Must use	1
UNH020	S009	MESSAGE IDENTIFIER Description: Identification of the type, version etc. of the message being interchanged.	M	Comp		Must use	1
	0065	Message type identifier Description: Code identifying a type of message and assigned by its controlling agency.	M	AN	1/6	Must use	1
	0052	Code Name DELFOR Delivery schedule message Message type version number Description: Version number of a message type.	M	AN	1/3	Must use	1
	0054	Code Name D Draft version S Standard version Message type release number Description: Release number within the current message type version number (0052).	M	AN	1/3	Must use	1
	0051	Code Name 97A Release 1997 - A Controlling agency Description: Code identifying the agency controlling the specification, maintenance and publication of the message type.	M	AN	1/2	Must use	1
		Code Name UN UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM)					

BGM BEGINNING OF MESSAGE

Pos: 0020	Max: 1
Group: N/A	Elements: 3
Mandatory	

User Option (Usage): Must use

To indicate the type and function of a message and to transmit the identifying number.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
BGM010	C002	DOCUMENT/MESSAGE NAME Description: Identification of a type of document/message by code or name. Code preferred.	C	Comp		Used	1
	1001	Document/message name, coded Description: Document/message identifier expressed in code. <u>Code Name</u> 241 Delivery schedule	C	AN	1/3	Used	1
BGM020	C106	DOCUMENT/MESSAGE IDENTIFICATION Description: Identification of a document/message by its number and eventually its version or revision.	C	Comp		Used	1
	1004	Document/message number Description: Reference number assigned to the document/message by the issuer.	C	AN	1/35	Used	1
BGM030	1225	MESSAGE FUNCTION, CODED Description: Code indicating the function of the message. <u>Code Name</u> 5 Replace	C	AN	1/3	Used	1

DTM DATE/TIME/PERIOD

Pos: 0030	Max: 10
Mandatory	
Group: N/A	Elements: 1

User Option (Usage): Must use

To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
DTM010	C507	DATE/TIME/PERIOD Description: Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Must use	1
	2005	Date/time/period qualifier Description: Code giving specific meaning to a date, time or period. Code Name 137 Document/message date/time 158 Horizon start date 159 Horizon end date	M	AN	1/3	Must use	1
	2380	Date/time/period Description: The value of a date, a date and time, a time or of a period in a specified representation.	C	AN	1/35	Used	1
	2379	Date/time/period format qualifier Description: Specification of the representation of a date, a date and time or of a period. Code Name 102 CCYYMMDD	C	AN	1/3	Used	1

NAD NAME AND ADDRESS

Pos: 0090	Max: 1
Mandatory	
Group: 2	Elements: 2

User Option (Usage): Must use

To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
NAD010	3035	PARTY QUALIFIER Description: Code giving specific meaning to a party. Code Name MI Planning schedule/material release issuer SF Ship from ST Ship to SU Supplier	M	AN	1/3	Must use	1
NAD020	C082	PARTY IDENTIFICATION DETAILS Description: Identification of a transaction party by code.	C	Comp		Used	1
	3039	Party id. identification Description: Code identifying a party involved in a transaction.	M	AN	1/35	Must use	1
	1131	Code list qualifier Description: Identification of a code list. Code Name 16 Postcode directory ZZZ Mutually defined	C	AN	1/3	Used	1

CTA CONTACT INFORMATION

Pos: 0140	Max: 1
Mandatory	
Group: 4	Elements: 2

User Option (Usage): Must use

To identify a person or a department to whom communication should be directed.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
CTA010	3139	CONTACT FUNCTION, CODED Description: Code specifying the function of a contact (e.g. department or person). Code Name EX Expeditor PD Purchasing contact SC Schedule contact	C	AN	1/3	Used	1
CTA020	C056	DEPARTMENT OR EMPLOYEE DETAILS Description: Code and/or name of a department or employee. Code preferred.	C	Comp		Used	1
	3412	Department or employee Description: The department or person within an organizational entity.	C	AN	1/35	Used	1

COM COMMUNICATION CONTACT

Pos: 0150	Max: 5
Conditional	
Group: 4	Elements: 1

User Option (Usage): Used

To identify a communication number of a department or a person to whom communication should be directed.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
COM010	C076	COMMUNICATION CONTACT Description: Communication number of a department or employee in a specified channel.	M	Comp		Must use	1
	3148	Communication number Description: The communication number.	M	AN	1/512	Must use	1
	3155	Communication channel qualifier Description: Code identifying the type of communication channel being used.	M	AN	1/3	Must use	1
		Code Name					
		EM Electronic mail					
		FX Telefax					
		TE Telephone					

GIS GENERAL INDICATOR

Pos: 0200	Max: 1
Mandatory	
Group: 6	Elements: 1

User Option (Usage): Must use

To transmit a processing indicator.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
GIS010	C529	PROCESSING INDICATOR	M	Comp		Must use	1
	7365	Processing indicator, coded Description: Type of process indication. Description: Identifies the value to be attributed to indicators required by the processing system.	M	AN	1/3	Must use	1
		Code Name 37 Complete information					

NAD NAME AND ADDRESS

Pos: 0220	Max: 1
Group: 7	Elements: 9
Mandatory	

User Option (Usage): Must use

To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
NAD010	3035	PARTY QUALIFIER Description: Code giving specific meaning to a party. Code Name ST Ship to	M	an	1/3	Must use	1
NAD020	C082	PARTY IDENTIFICATION DETAILS Description: Identification of a transaction party by code.	C	Comp		Used	1
	3039	Party id. identification Description: Code identifying a party involved in a transaction.	M	an	1/35	Must use	1
	1131	Code list qualifier Description: Identification of a code list.	C	an	1/3	Used	1
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list.	C	an	1/3	Used	1
NAD030	C058	NAME AND ADDRESS Description: Unstructured name and address: one to five lines.	C	Comp		Used	1
	3124	Name and address line Description: Free form name and address description.	M	an	1/35	Must use	1
	3124	Name and address line Description: Free form name and address description.	C	an	1/35	Used	1
	3124	Name and address line Description: Free form name and address description.	C	an	1/35	Used	1
	3124	Name and address line Description: Free form name and address description.	C	an	1/35	Used	1
	3124	Name and address line Description: Free form name and address description.	C	an	1/35	Used	1
NAD040	C080	PARTY NAME Description: Identification of a transaction party by name, one to five lines. Party name may be formatted.	C	Comp		Used	1
	3036	Party name Description: Name of a party involved in a transaction.	M	an	1/35	Must use	1
	3036	Party name Description: Name of a party involved in a transaction.	C	an	1/35	Used	1
	3036	Party name Description: Name of a party involved in a transaction.	C	an	1/35	Used	1
	3036	Party name Description: Name of a party involved in a transaction.	C	an	1/35	Used	1
	3036	Party name Description: Name of a party involved in a transaction.	C	an	1/35	Used	1
	3045	Party name format, coded Description: Specification of the representation of a party name.	C	an	1/3	Used	1
NAD050	C059	STREET	C	Comp		Used	1

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		Description: Street address and/or PO Box number in a structured address: one to three lines.					
	3042	Street and number/p.o. box Description: Street and number in plain language, or Post Office Box No.	M	an	1/35	Must use	1
	3042	Street and number/p.o. box Description: Street and number in plain language, or Post Office Box No.	C	an	1/35	Used	1
	3042	Street and number/p.o. box Description: Street and number in plain language, or Post Office Box No.	C	an	1/35	Used	1
	3042	Street and number/p.o. box Description: Street and number in plain language, or Post Office Box No.	C	an	1/35	Used	1
NAD060	3164	CITY NAME Description: Name of a city (a town, a village) for addressing purposes.	C	an	1/35	Used	1
NAD070	3229	COUNTRY SUB-ENTITY IDENTIFICATION Description: Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies.	C	an	1/9	Used	1
NAD080	3251	POSTCODE IDENTIFICATION Description: Code defining postal zones or addresses.	C	an	1/9	Used	1
NAD090	3207	COUNTRY, CODED Description: Identification of the name of a country or other geographical entity as specified in ISO 3166.	C	an	1/3	Used	1

LIN LINE ITEM

Pos: 0380	Max: 1
Mandatory	
Group: 12	Elements: 2

User Option (Usage): Must use

To identify a line item and configuration.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LIN010	1082	LINE ITEM NUMBER Description: Serial number designating each separate item within a series of articles.	C	AN	1/6	Used	1
LIN030	C212	ITEM NUMBER IDENTIFICATION Description: Goods identification for a specified source.	C	Comp		Used	1
	7140	Item number Description: A number allocated to a group or item.	C	AN	1/35	Used	1
	7143	Item number type, coded Description: Code Name IN Buyer's item number	C	AN	1/3	Used	1

PIA ADDITIONAL PRODUCT ID

Pos: 0390	Max: 10
Conditional	
Group: 12	Elements: 2

User Option (Usage): Used

To specify additional or substitutional item identification codes.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
PIA010	4347	PRODUCT ID. FUNCTION QUALIFIER Description: Indication of the function of the product code. Code Name 1 Additional identification	M	AN	1/3	Must use	1
PIA020	C212	ITEM NUMBER IDENTIFICATION Description: Goods identification for a specified source.	M	Comp		Must use	1
	7140	Item number Description: A number allocated to a group or item.	C	AN	1/35	Used	1
	7143	Item number type, coded Description: Code Name EC Engineering change level SA Supplier's article number	C	AN	1/3	Used	1

IMD ITEM DESCRIPTION

Pos: 0400	Max: 10
Conditional	
Group: 12	Elements: 3

User Option (Usage): Used

To describe an item in either an industry or free format.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
IMD010	7077	ITEM DESCRIPTION TYPE, CODED Description: Code indicating the format of a description. Code Name F Free-form	C	AN	1/3	Used	1
IMD020	7081	ITEM CHARACTERISTIC, CODED Description: Code specifying the item characteristic being described. Code Name 8 Product	C	AN	1/3	Used	1
IMD030	C273	ITEM DESCRIPTION Description: Description of an item.	C	Comp		Used	1
	7008	Item description Description: Plain language description of articles or products.	C	AN	1/35	Used	1

LOC PLACE/LOCATION IDENTIFICATION

Pos: 0450	Max: 999
Conditional	
Group: 12	Elements: 2

User Option (Usage): Used

To identify a country/place/location/related location one/related location two.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LOC010	3227	PLACE/LOCATION QUALIFIER Description: Code identifying the function of a location. Code Name 11 Place/port of discharge 141 Loading dock 159 Additional internal destination	M	AN	1/3	Must use	1
LOC020	C517	LOCATION IDENTIFICATION Description: Identification of a location by code or name.	C	Comp		Used	1
	3225	Place/location identification Description: Identification of the name of place/location, other than 3164 City name.	C	AN	1/25	Used	1

RFF REFERENCE

Pos: 0490	Max: 1
Mandatory	
Group: 13	Elements: 1

User Option (Usage): Must use

To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
RFF010	C506	REFERENCE Description: Identification of a reference.	M	Comp		Must use	1
	1153	Reference qualifier Description: Code giving specific meaning to a reference segment or a reference number.	M	AN	1/3	Must use	1
	1154	Code Name ON Order number (purchase) ERN Exporter's reference number Reference number Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.	C	AN	1/35	Used	1

DTM DATE/TIME/PERIOD

Pos: 0500	Max: 1
Conditional	
Group: 13	Elements: 1

User Option (Usage): Used

To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
DTM010	C507	DATE/TIME/PERIOD Description: Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Must use	1
	2005	Date/time/period qualifier Description: Code giving specific meaning to a date, time or period. <u>Code Name</u> 4 Order date/time	M	an	1/3	Must use	1
	2380	Date/time/period Description: The value of a date, a date and time, a time or of a period in a specified representation.	C	an	1/35	Used	1
	2379	Date/time/period format qualifier Description: Specification of the representation of a date, a date and time or of a period. <u>Code Name</u> 102 CCYYMMDD	C	an	1/3	Used	1

QTY QUANTITY

Pos: 0550	Max: 1
Mandatory	
Group: 15	Elements: 1

User Option (Usage): Must use

To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
QTY010	C186	QUANTITY DETAILS Description: Quantity information in a transaction, qualified when relevant.	M	Comp		Must use	1
	6063	Quantity qualifier Description: Code giving specific meaning to a quantity. Code Name 1 Discrete quantity 3 Cumulative quantity 48 Received quantity 66 Committed quantity 79 Previous cumulative quantity 83 Backorder quantity 184 Quantity of material in ordered time	M	AN	1/3	Must use	1
	6060	Quantity Description: Numeric value of a quantity.	M	N	1/15	Must use	1
	6411	Measure unit qualifier Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.	C	AN	1/3	Used	1

DTM DATE/TIME/PERIOD

Pos: 0560	Max: 2
Conditional	
Group: 15	Elements: 1

User Option (Usage): Used

To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
DTM010	C507	DATE/TIME/PERIOD Description: Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Must use	1
	2005	Date/time/period qualifier Description: Code giving specific meaning to a date, time or period. Code Name 50 Goods receipt date/time 51 Cumulative quantity start date 52 Cumulative quantity end date 67 Delivery date/time, current schedule 111 Manifest/ship notice date 257 Calculation date	M	AN	1/3	Must use	1
	2380	Date/time/period Description: The value of a date, a date and time, a time or of a period in a specified representation.	C	AN	1/35	Used	1
	2379	Date/time/period format qualifier Description: Specification of the representation of a date, a date and time or of a period. Code Name 102 CCYYMMDD	C	AN	1/3	Used	1

RFF REFERENCE

Pos: 0580	Max: 1
Mandatory	
Group: 16	Elements: 1

User Option (Usage): Must use

To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
RFF010	C506	REFERENCE Description: Identification of a reference.	M	Comp		Must use	1
	1153	Reference qualifier Description: Code giving specific meaning to a reference segment or a reference number.	M	AN	1/3	Must use	1
		Code Name MA Ship notice/manifest number AAK Despatch advice number					
	1154	Reference number Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.	C	AN	1/35	Used	1

SCC SCHEDULING CONDITIONS

Pos: 0610	Max: 1
Mandatory	
Group: 17	Elements: 2

User Option (Usage): Must use

To specify scheduling conditions.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
SCC010	4017	DELIVERY PLAN STATUS INDICATOR, CODED Description: Code indicating the level of commitment of schedule information. Code Name 1 Firm 2 Commitment for manufacturing and material 3 Commitment for material 4 Planning/forecast	M	AN	1/3	Must use	1
SCC030	C329	PATTERN DESCRIPTION Description: Shipment, delivery or production interval pattern and timing.	C	Comp		Used	1
	2013	Frequency, coded Description: Code specifying interval grouping of the delivery, production, etc. of the schedule. Code Name D Discrete M Monthly (calendar months) W Weekly	C	AN	1/3	Used	1
	2015	Despatch pattern, coded Description: Code specifying the days/periods for routine shipments or deliveries. Code Name 21 As directed	C	AN	1/3	Used	1

QTY QUANTITY

Pos: 0630	Max: 1
Mandatory	
Group: 18	Elements: 1

User Option (Usage): Must use

To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
QTY010	C186	QUANTITY DETAILS Description: Quantity information in a transaction, qualified when relevant.	M	Comp		Must use	1
	6063	Quantity qualifier Description: Code giving specific meaning to a quantity.	M	AN	1/3	Must use	1
		Code Name 1 Discrete quantity					
	6060	Quantity Description: Numeric value of a quantity.	M	N	1/15	Must use	1
	6411	Measure unit qualifier Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.	C	AN	1/3	Used	1

DTM DATE/TIME/PERIOD

Pos: 0640	Max: 2
Conditional	
Group: 18	Elements: 1

User Option (Usage): Used

To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
DTM010	C507	DATE/TIME/PERIOD Description: Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Must use	1
	2005	Date/time/period qualifier Description: Code giving specific meaning to a date, time or period. Code Name 2 Delivery date/time, requested 10 Shipment date/time, requested 160 Authorization date	M	AN	1/3	Must use	1
	2380	Date/time/period Description: The value of a date, a date and time, a time or of a period in a specified representation.	C	AN	1/35	Used	1
	2379	Date/time/period format qualifier Description: Specification of the representation of a date, a date and time or of a period. Code Name 102 CCYYMMDD	C	AN	1/3	Used	1

RFF REFERENCE

Pos: 0660	Max: 1
Mandatory	
Group: 19	Elements: 1

User Option (Usage): Must use

To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
RFF010	C506	REFERENCE Description: Identification of a reference.	M	Comp		Must use	1
	1153	Reference qualifier Description: Code giving specific meaning to a reference segment or a reference number.	M	AN	1/3	Must use	1
		Code Name RE Release number SRN Shipment reference number					
	1154	Reference number Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.	C	AN	1/35	Used	1

UNT MESSAGE TRAILER

Pos: 1030	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

To end and check the completeness of a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
UNT010	0074	NUMBER OF SEGMENTS IN A MESSAGE Description: Control count of number of segments in a message.	M	N	1/6	Must use	1
UNT020	0062	MESSAGE REFERENCE NUMBER Description: Unique message reference assigned by the sender.	M	AN	1/14	Must use	1

Eaton Corporation

EDI Delivery Forecast (DELFOR) sample

UNH+000000001+DELFOR:S:97A:U

BGM+241+20020723-123174+5'

Schedule **20020723-123174** replaces prior schedules

DTM+137:20020723:102'

Schedule date is **7/23/02**

DTM+158:20020723:102'

Schedule covers period beginning **7/23/02**

DTM+159:20030531:102'

Schedule covers period ending **05/31/03**

NAD+SU+EVBGREE::16'

Supplier is **EVBGREE**

NAD+ST+956894069SRV::16'

Ship to is **956894069SRV**

NAD+SF+EVBGREE::16'

Ship from is **EVBGREE**

GIS+37'

LIN+1521++3315753:IN'

Part **3315753**, line number **1521**

RFF+ON:1669'

Purchase order **1669**

QTY+3:0:EA'
DTM+51:20020101:102'

Cum start date is **01/01/02**. So far no parts have been received.

SCC+1++D:21'

Following requirements are firm.

QTY+1:2:EA'
DTM+2:20020805:102'

Requirement of **2** pieces to be due on **08/05/02**

QTY+1:3:EA'
DTM+2:20020819:102'

Requirement of **3** pieces due on **8/19/02**

SCC+4++D:21'

Following requirements are forecasted.

QTY+1:5:EA'
DTM+2:20021101:102'

Forecast of **5** pieces projected for **11/01/02**

UNT+09178+000000001'