
DWG NO 50-26602

NOTES:

- 1. ALL UNITS ARE DESIGNED IN ACCORDANCE WITH APPLICABLE NEMA, UL, ANSI, AND IEEE STANDARDS.
- 2. DRY-TYPE TOTALLY ENCLOSED NON VENTILATED, CLASS AA, NEMA TYPE 2 ENCLOSURE.
- 3. TRANSFORMERS ARE FLOOR MOUNTED.
- 4. 220°C CLASS INSULATION SYSTEM.
- 5. PAINT COLOR IS ANSI #61.
 6. ALUMINUM UNITS HAVE ALUMINUM WINDINGS AND TERMINATIONS. COPPER UNITS HAVE COPPER WINDINGS AND COPPER TERMINATIONS.



DIMENSIONS IN inches (mm)

FRAME	KVA	APPROX NET	WT. LBS(KG) COPPER	А	В	С	D	E	F
910N	3-10	230(104)	300(136)	30.00(762)	20.12(511)	14.12(359)	18.50(470)	11.00(279)	1.50(38)
				G	Н	J	K	L	М
				4.50(114)	1.88(48)	4.34(110)	2.38(60)	8.06(204)	6.06(154)
				N	0				
				2.00(51)	4.56(116)				

THIS DIMENSION DRAWING IS FOR REFERENCE ONLY. IT IS NOT TO BE REGARDED AS INDICATING THE EXACT DETAILS OF CONSTRUCTION. 2/99

Cutler-Hammer		Neg-Alt Number:	G.O. Number:	Item:	Sheet:			
Cutlor L	lammar	Product Description:						
Approved By:	Date:	Size:	Product ID:					
Prepared By:	Date:	Version:	Job Name:					