

## **Cooper Bussmann Cross Reference & Upgrade**

The left column represents Cooper Bussmann and competitors' part numbers. The right column represents the

CLASS CC	and MIDGET
Existing	LOW-PEAK *
Fuse	UPGRADE
A6Y type 2B	LP-CC
ABU	
AGU	
ATDR	
ATM	
ATMR	
ATQ	
BAF	
BAN	IT VERS
BLF	
BLN	
CCMR	A STAN
CM	Anten and an Anten a
CMF	IOW-PEAK
CNM	LOW-I LINK
CNQ	Class CC
CTK	correct Cimiting
CTK-R	I P-CC-30
FLM	LF-00-50
FLM	1.18.28
FLQ	
FNM	
FNQ	
FNW	and the second second
GGU	
HCLR	
KLK	
KLK-R	
KTK	
KTK-R	
MCL	
MEN	
MEQ	
MOF	
MOL	
OTM	
TRM	
6JX	LP-CC

ATQR	FNQ-R
FNQ-R	FNQ-R
KLDR	FNQ-R

FNQ-R suggested on primary of control transformers



Cooper Bussmann upgrades.

The Cooper Bussmann fuse upgrade offers superior performance while reducing the number of SKU's that need to be in stock. Low-Peak<sup>®</sup> fuses feature a high degree of current limitation, which will provide the best component protection and may reduce the arc-flash hazard. Listings are numerical-alpha by fuse class and fuse catalog symbol. Do you have a part that does not appear in the list? This list is only a consolidated cross-reference to some of our most common products. For a much more extensive database please consult the competitor cross-reference on **WWW.COOPErbussmann.com** or contact Customer Satisfaction at

(636) 527-3877

CLASS R 250V	
Existing	LOW-PEAK °
Fuse	UPGRADE
A2D	LPN-RK_SP
A2D-R	
A2K	
A2K-R	
A2Y type 1	
AT-DE	
CHG	
CRN-R type 3	
CTN-R	0
DEN	and the second second
DLN	
DLN-R	
ECN	
ECN-R	Contraction of the Contraction o
ERN	
FLN	
FLN-R	
FRN	
FRN-R	
FTN-R	LOW PEAK
GDN	DUAL-ELEMENT
HAC-R	FUSE
HB	2)
KLN-R	
KON	
KTN-R	
LENRK	
LKN	
LLN-RK	In the local division of the local divisiono
LON-RK	
NCLR	
NLN	and the second second
NON	
NKN	and a start of the
OIN	
KEN	
KEN DEN	
KEN DUN	
KHN DLN	
KLN TD	
18	
655	
660 40KOTN	
TUKUTN	
50KOTN	LPN-RK SP

CLASS R 600V	
Existing	LOW-PEAK °
Fuse	UPGRADE
A6D	LPS-RK_SP
A6K-R	
A6K-R	
DES	
DES-R	
DLS	1 1
DLS-R	
ECS-R	
ERS	Mar and Market
FLS	
FLS-R	
FRS	
FRS-R	
FIS-R	ION DEAN
GDS	DUAL-ELEMENT
KOS	PUSE
KTS-R	D S TROUGH
LES	CURRENT LIMITINE
LES-R	
LES-RK	32
LKS	
LLS-RK	
LOS-RK	
NLS	Res Str.
NOS	Contract Art State on a second
NRS	
OTS	and the second s
RES	Berry .
SCLB	
TRS	
TRS-R	
656	
10KOTS	
50KOTS	LPS-RK_SP
CL	ASS L
Existina	LOW-PEAK *
Fuses	UPGRADE
A4BQ	KRP-C_SP
A4BT	
A4BY	0
A4BY type 55	
CLASS L	
	I WARDENNI I
	FUSE
KLEO	
KLU	
KTU	
L	
LCL	The second se
LCU	KRP-C_SP

The comparative catalog numbers shown were derived from the latest available published information from various manufacturers. Because competitors' products may differ from Cooper Bussmann products, it is recommended that each application be checked for required electrical and mechanical characteristics before substitutions are made. Cooper Bussmann is not responsible for misapplications of our products. Overcurrent protection is application dependent. Consult latest catalogs and application literature, or contact our Application Engineering Department at (636) 527-1270.