


TIME-CURRENT CHARACTERISTIC CURVES

MINIMUM MELT TIME-CURRENT CHARACTERISTIC CURVES:
8.3, 15.5, 23 KV X-LIMITER FULL RANGE FUSE

DRAWN BY ALJ CHK'D NRH
 DATE 05/03/12 DATE 07/31/12
 REPLACES REV 00 REQ NO. 27127

Tests made at LOW Volts ac at HIGH pf at 25°C with no initial load
 Standards used as basis for data: ANSI C37.47-1981 (R1992)
 MINIMUM TEST POINTS PLOTTED SO VARIATIONS SHOULD BE PLUS
 THIS DRAWING WAS PRODUCED ON A CAD SYSTEM, ANY MANUAL REVISION WILL VOID IT.

CATALOG NUMBERS:
 83FXXX-I 83FXXX-II
 155FXXX-1 155FXXX-II
 23FXXX-I 23FXXX-II
 83F050-DW, 155F050-DW, 23F050-DW



TIME-CURRENT CHARACTERISTIC CURVES

MAX CLEAR TIME-CURRENT CHARACTERISTIC CURVES:
8.3, 15.5, 23 KV X-LIMITER FULL RANGE FUSE

DRAWN BY ALJ CHK'D NRH
 DATE 05/03/12 DATE 07/31/12
 REPLACES REV 00 REQ NO. 27127
 DWG NO. R240-91-109

Tests made at RATED Volts ac at LOW pf at 25°C with no initial load
 Standards used as basis for data: ANSI C37.47-1981 (R1992)
 MAXIMUM TEST POINTS PLOTTED SO VARIATIONS SHOULD BE MINUS
 THIS DRAWING WAS PRODUCED ON A CAD SYSTEM, ANY MANUAL REVISION WILL VOID IT.

CATALOG NUMBERS:

83FXXX-I 83FXXX-II
 155FXXX-1 155FXXX-II
 23FXXX-I 23FXXX-II
 83F050-DW, 155F050-DW, 23F050-DW